


# For squeaky-clean floors!



Quality Tools for Smart Cleaning



### Water Wands

Digs deep into tile crevices and uneven surfaces to remove liquids, leaving floor finger dry. Choose from standard double moss rubber or heavy-duty squeegee with rugged galvanized steel construction and splash guard. Tapered socket; use with aluminum handle UNG AL140 (sold separately). Optional plastic insert UNG FWAI (sold separately) will convert water wand from tapered socket to Acme threaded socket.

| No.  | Size | Each |
|--|------|------|
| <b>A. Standard Disposable</b> —With black natural foam rubber. |      |      |
| UNG MW450  | 18"  |      |
| UNG MW550  | 22"  |      |
| <b>B. Heavy-Duty</b> —With black natural foam rubber.          |      |      |
| UNG HM550  | 22"  |      |
| UNG HM750  | 30"  |      |
| <b>C. Heavy-Duty Red Neoprene</b> —With oil-resistant rubber.  |      |      |
| UNG HW750  | 30"  |      |

### ECONOMY & HEAVY-DUTY FLOOR SQUEEGEES

- Use with Unger 61" aluminum handle with three-degree taper (UNG AL14T, sold separately)

#### D. Aquadozer® Straight Floor Squeegees

For large volumes of water, mud, debris, waste, scrap, slush, snow and flood clean-up. Galvanized steel frame with cast zinc socket. Features 2" replaceable black rubber.

| No.      | Size | Each |
|----------|------|------|
| UNG FE45 | 18"  |      |
| UNG FE60 | 24"  |      |

#### Aquadozer® Heavy-Duty Floor Squeegees

All-purpose squeegees handle the toughest jobs. Rugged painted frame and cast zinc socket. With replaceable EPDM rubber. Use optional nylon insert UNG FAAI (sold separately) to convert from three-degree tapered socket to Acme threaded socket.

| No.   | Size | Each |
|---|------|------|
| <b>E. Straight</b> —With black neoprene rubber. |      |      |
| UNG FP45  | 18"  |      |
| UNG FP60  | 24"  |      |
| UNG FP75  | 30"  |      |
| UNG FP90  | 36"  |      |
| <b>F. Curved</b> —With black neoprene rubber.   |      |      |
| UNG FP60C                                       | 24"  |      |
| UNG FP90C                                       | 36"  |      |



**A. Sanitary Standard Squeegees**

For use in areas where hygiene is a top priority. Ideal for hospitals, kitchens, bathrooms, dairies, around swimming pools or wherever metal components are undesirable. Acid-resistant polypropylene construction. Reinforced frame. (Aluminum handle UNG AL14A sold separately.)

| No.       | Size     | Each |
|-----------|----------|------|
| UNG PM45A | 18" Head |      |
| UNG PM55A | 22" Head |      |

**B. Sanitary Brushes**

Scrub and squeegee with a single tool. Perfect for kitchens, decks, bathrooms and uneven surfaces. Acid-resistant polypropylene reinforced frame incorporates a splash guard and Acme threaded socket. Durable fused polypropylene bristles and double moss rubber blade. (Aluminum handle UNG AL14A sold separately.)

| No.       | Size     | Each |
|-----------|----------|------|
| UNG PB45A | 18" Head |      |
| UNG PB55A | 22" Head |      |

**C. PushPull Floor Squeegee**

Heavy-duty, rust-resistant galvanized steel socket and pivoting aluminum channel. Replaceable hard rubber blades feature two wiping blades, making quick work of dirty jobs. (Aluminum handle UNG AL140 sold separately.)

| No.       | Size     | Each |
|-----------|----------|------|
| UNG FH600 | 24" Head |      |

**D. Original Strip® Washer with Handle**

T-shaped nylon handle has water wells that release water through the strip fabric as needed. The plush, woven fabric sleeve is machine washable and tackles everyday tough jobs, even dusting. Includes one handle and one fabric sleeve.

| No.       | Size      | Each |
|-----------|-----------|------|
| UNG WC25U | 10" Strip |      |
| UNG WC35U | 14" Strip |      |
| UNG WC45U | 18" Strip |      |

**Original Replacement Strip Washers**

|           |           |  |
|-----------|-----------|--|
| UNG WS25U | 10" Strip |  |
| UNG WS35U | 14" Strip |  |
| UNG WS45U | 18" Strip |  |

**E. Visa Versa®**

A strip washer and squeegee in one. Just wash, flip over and squeegee using hand or pole. Quick spring release accepts both Pro and "S" channels (sold separately). Heads can be offset to clean over ledges.


| No.      | Size     | Each |
|----------|----------|------|
| UNG VP25 | 10" Head |      |
| UNG VP35 | 14" Head |      |
| UNG VP45 | 18" Head |      |





**F. General-Duty Squeegees**




Ideal for windows. Black rubber blade. Synthetic sponge covered in nylon mesh for durability and abrasive scrubbing.

| No.     | Description                 | Each |
|---------|-----------------------------|------|
| UNS 816 | 8" Head, 16" Plastic Handle |      |
| UNS 824 | 8" Head, 21" Wood Handle    |      |



Sanitary Brush B. lets you scrub and squeegee with the same tool!





*It's all becoming clear...*



**A. Economical Window Squeegee**

All-purpose window squeegee features durable reinforced rubber blade. 12" head.

|          |      |
|----------|------|
| UNS ES12 | Each |
|----------|------|



Quality Tools for Smart Cleaning

**Pro Stainless Steel Window Squeegees**

Fast-lock handle with rubber grip, channel and rubber blade. Attaches to all Unger® poles with a press fit. Cleans any flat, smooth surface.

| No. | Size | Each |
|-----|------|------|
|-----|------|------|

**B. Complete**—With handle, channel and rubber blade.

|          |     |  |
|----------|-----|--|
| UNG PR30 | 12" |  |
| UNG PR35 | 14" |  |
| UNG PR40 | 16" |  |
| UNG PR45 | 18" |  |

**C. "S" Channel**—With rubber blade.

|          |     |  |
|----------|-----|--|
| UNG NE30 | 12" |  |
| UNG NE35 | 14" |  |
| UNG NE40 | 16" |  |
| UNG NE45 | 18" |  |

**D. Pro Stainless Steel Squeegee Handle**

|          |   |  |
|----------|---|--|
| UNG PR00 | — |  |
|----------|---|--|

**Golden Clip® Window Squeegees**

Professional-quality solid brass squeegee. Clipped channels, coin adjustable screws to hold channel.

| No. | Size | Each |
|-----|------|------|
|-----|------|------|

**E. Complete**—With handle, channel and rubber blade.

|          |     |  |
|----------|-----|--|
| UNG GS30 | 12" |  |
| UNG GS45 | 18" |  |

**F. Golden Pro Brass Squeegee Handle**

|          |   |  |
|----------|---|--|
| UNG GS00 | — |  |
|----------|---|--|

**G. Brass Channel**—Includes rubber blade and clip.

|          |     |  |
|----------|-----|--|
| UNG GC30 | 12" |  |
| UNG GC45 | 18" |  |

**H. UniTecLite Squeegee**

Extra-light squeegee for glass or flat surfaces. Ergonomic handle attaches to all Unger® poles with a press fit. Replaceable soft rubber blade. 12" head.

|           |  |      |
|-----------|--|------|
| UNG US300 |  | Each |
|-----------|--|------|

**I. ErgoTec Replacement Squeegee Rubber Blades**

For Unger® window squeegees.

| No.      | Size | Rubber | Each |
|----------|------|--------|------|
| UNG RT30 | 12"  | Soft   |      |
| UNG RT35 | 14"  | Soft   |      |
| UNG RT40 | 16"  | Soft   |      |
| UNG RT45 | 18"  | Hard   |      |





**A. Tele-Plus Pole**

Flexible, modular system enables you to assemble pole up to 30 feet in length. Drawn anodized aluminum pole is lightweight and easy and safe to handle, even when assembled to provide maximum reach. Reach higher than 30 feet (pole length + height)! Includes five, 6-ft. long sections. Handle grip is ergonomically designed for comfort. Quick-release locking cone (incl.) snaps into pole; attach a wide selection of tools by press fit, Acme thread or snap-in.

UNG TF900 Each

**B. OptiLoc Tele-Poles**

Sturdy extension poles constructed of anodized, extruded drawn aluminum with 3/2" nylon locking collars and snap-in threaded cones. Handle grip is ergonomically designed for comfort. Each pole includes an ErgoTec® Locking Cone.

| No.        | Size   | Sections | Each |
|------------|--------|----------|------|
| UNG EZ120  | 4 ft.  | 2        |      |
| UNG EZ250  | 8 ft.  | 2        |      |
| UNG EZ400  | 13 ft. | 2        |      |
| UNG ED370  | 12 ft. | 3        |      |
| UNG ED450  | 14 ft. | 3        |      |
| ◆UNG ED550 | 18 ft. | 3        |      |
| ◆UNG ED900 | 30 ft. | 3        |      |

**Aluminum Handles**

For Unger® floor squeegees and Water Wands (sold separately). All styles feature 1" diameter anodized aluminum handle with fluted finish for strength. Ergonomic grip for a comfortable hold. Convenient hang-up hole.

**C. Pro Aluminum 1.5**

56" long.  
UNG AL140 Each

**D. Pro Aluminum Acme**

58" long.  
UNG AL14A Each

**E. Pro Aluminum 3.0 Acme Thread with Three-Degree Taper**

61" long.  
UNG AL14T Each

**Adapters for OptiLoc Tele-Poles**

| No.         | Description           | Each |
|-------------|-----------------------|------|
| F. UNG NCAN | ErgoTec® Locking Cone |      |
| G. UNG TWAO | Threaded Wood Cone    |      |

**H. Water Wand Acme Insert**

Easily converts Water Wand Series Floor Squeegees (sold separately) from tapered sockets to Acme compatible sockets for use with tapered or threaded handles. Strong, polymer blend plastic.

UNG FWAI Each

**I. Aquadozer® Squeegee Acme Threaded Insert**

Snaps easily into three-degree tapered socket of Aquadozer® Heavy-Duty Floor Squeegees (sold separately) to allow use of Acme threaded handles. Nylon.

UNG FAAI Each

**J. ProBucket**


Heavy-duty 6-gallon bucket with larger footprint for increased stability. Easily fits 18" washer. Rounded pour spouts on two corners for easier, more controlled emptying. Ergonomically designed handle increases comfort, and is stiffer and more stable for balance when carrying. Use with optional snap-on lid and casters or bucket barge (not incl.). Green with black handle.

UNG QB220 Each

◆ This symbol denotes items that cannot ship via UPS.



Plastic insert converts tapered socket Water Wands for acceptance of either tapered or standard Acme threaded sockets.



Use nylon insert to add Acme threaded handle to Heavy-Duty Floor Squeegees.

