



LADDER CARTS

Three-section cart adapts to worksite requirements. Centrally located, stepped-down ladder platform carries up to 6-ft. ladder without hitting walls, doorways or elevators. Unique vertical profile offers higher worksurface height for improved ergonomics. Can be assembled for transporting long items. Square footprint offers optimal maneuverability. Shelves feature molded-in tool and pipe holders. Molded-in handles. Powder coated steel and structural foam construction. 5" casters (two locking). 500-lb. capacity. Black/Red.

A. Ladder Cart with Open Ends


Seven shelves, plus ladder platform and organizer tray for increased storage capacity. 27w x 31½l x 42h. Shpg. wt. 69 lbs.

RCP 9T57 BLA **Each**

B. Ladder Cart with Cabinet

Lockable storage for safety and security (lock not incl.). Three shelves on one end, storage cabinet on the other. Also features ladder platform and organizer tray. 27w x 31½l x 42h. Shpg. wt. 99 lbs.

RCP 9T58 BLA **Each**



C. Folding Two-Step Step Stool

Sets up quickly; folds down to slim depth for storage in tight spaces and convenient transport. Slip-resistant surfaces on steps and foot pads. Rust- and dent-resistant reinforced polypropylene cleans easily. Skid-resistant feet. Supports 300 lbs. Cylinder color. Open: 18¾w x 21d x 22¾h. Folded: 18¾w x 5¼d x 25h. Shpg. wt. 6.93 lbs.

RCP 4209 CYL **Each**



D. Mobile Two-Step Step Stool

Push stool into position, step on it, and casters instantly retract. Antiskid bottom holds firmly. Textured step surface. Supports 350 lbs. Plastic. 16 dia. (at base) x 13h. Shpg. wt. 7 lbs.

| No. | Color | Each |
|--------------|-------|------|
| RCP 2523 BLA | Black | |
| RCP 2523 BEI | Beige | |



E. #624 Folding Fiberglass Three-Step Step Stool

For electricians, light institutional and frequent household use. Nonconductive green fiberglass rails with yellow aluminum top cap. 3" serrated steps, slip-resistant foot caps. Pinch-resistant side locks. ANSI Type II, Commercial, 225-lb. duty rating. UL Compliant. 17w x 22 spread x 24h. Shpg. wt. 7 lbs.

DAV 624-02BX **Each**



F. #566 Aluminum Euro Platform Ladder

For household use. Locking 36" high platform provides large standing area. Top rail for safety and convenience. Deeply serrated extruded aluminum steps for security. Slip-resistant foot caps. ANSI Type III, Household, 200-lb. duty rating. 18¾w x 31 spread x 60h. Shpg. wt. 9 lbs.

DAV 566-03BX **Each**



G. #592 Six-Foot Fiberglass Commercial Stepladder

Channeled nonconductive fiberglass rails for strength and corrosion resistance. Deeply serrated U-channel 3" steps. Angle bracing strengthens and stabilizes top step, bottom step and rear brace. Yellow molded plastic top holds quart paint can and has slots for small hand tools. Pinch-resistant, heavy-gauge outside side locks. ANSI Type II, Commercial, 225-lb. duty rating. 22¼w x 43½ spread x 72h. Shpg. wt. 16 lbs.

◆ DAV 592-06BX **Each**



- All ladders meet or exceed ANSI and OSHA safety codes
- Select ladder of proper duty rating to support combined weight of user and materials
- **WARNING:** Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits

◆ This symbol denotes items that cannot ship via UPS.

Items with this symbol require assembly.

When you need a jolt, we've got the volts!



A

B



C



NEW!



D



NEW!

NEW!



F

NEW!



G



NEW!

H



I

H. Industrial Tough Flashlight

Case is gas-, grease-, chemical- and water-resistant. Ergonomic switch and grip. Includes ring hanger and spare bulb holder. Bright yellow, nonroll case. Uses two D batteries. Batteries included. Manufacturer's full lifetime warranty.

RVY I2D-B **Each**

I. Sportsman® Fluorescent Lantern

Twin-tube, 18-watt fluorescent U-tubes shine 360° of light in up to a 25-ft. radius. High or low beam settings. Tough, water-resistant ABS construction with durable rubber base and handle. Uses eight D batteries (sold separately). Black. Manufacturer's limited lifetime warranty.

RVY SP8D **Each**



A. Alkaline Batteries

Trusted, high-quality alkaline batteries that deliver superior capacity in all of your general use electronic devices.

| No. | Size | Pack Qty. | Pack |
|-----------|------|-----------|------|
| INO 11124 | AAA | 24 | |
| INO 11024 | AA | 24 | |
| INO 22012 | C | 12 | |
| INO 33012 | D | 12 | |
| INO 44004 | 9V | 4 | |

Energizer

B. Energizer® Alkaline Batteries

| No. | Size | Pack Qty. | Pack |
|--------------|------|-----------|------|
| ENE E92FP-12 | AAA | 12 | |
| ENE E91BP-8 | AA | 8 | |
| ENE E93FP-8 | C | 8 | |
| ENE E95FP-8 | D | 8 | |
| ENE 522FP-4 | 9V | 4 | |

C. Energizer® Industrial Alkaline Batteries

| No. | Size | Pack Qty. | Pack |
|----------|------|-----------|------|
| ENE EN92 | AAA | 24 | |
| ENE EN91 | AA | 24 | |
| ENE EN93 | C | 12 | |
| ENE EN95 | D | 12 | |
| ENE EN22 | 9V | 12 | |

DURACELL®

D. Duracell® PROCELL® Alkaline Batteries

| No. | Size | Pack Qty. | Pack |
|---------------|------|-----------|------|
| DRC PC2400BKD | AAA | 24 | |
| DRC PC1500BKD | AA | 24 | |
| DRC PC1400 | C | 12 | |
| DRC PC1300 | D | 12 | |
| DRC PC1604BKD | 9V | 12 | |



E. Industrial™ Lantern with Swivel Stand

"Toolbox tough" lantern with flashlight convenience. Attached stand swivels 45° for handsfree use. Bright krypton bulb provides long-range beam to light up your work area. Durable rubber-protected body is chemical-, water- and impact-resistant and floats in water. Includes spare bulb holder. Uses 6V battery or 4D adapter (both incl.) Black/Yellow. Manufacturer's limited lifetime warranty.

RVY I6V-B2 **Each**

F. HighBeam™ High Power LED Flashlight

Ultra-bright 1-watt luxeon flashlight with adjustable beam is up to 30 times brighter than standard LED. DC/DC regulated circuitry provides maximum light output throughout the life of the battery. Adjustable beam. Twist end cap for on/off, plus push-button momentary on/off feature. Water-resistant, aircraft-grade aluminum construction. Includes clip and lanyard. Uses two AA alkaline batteries (incl.) Manufacturer's limited lifetime warranty.

RVY LUX2AA1W-B **Each**

G. The Weather Channel™ Crank LED Flashlight

The ideal choice to get you through storm and emergency situations. Two LED lights provide a projected and a flood beam. No batteries required—three minute crank time powers lights for up to 27 minutes. Durable, water-resistant construction. Reliable LED lights never need replacing. Gray/Black. Manufacturer's limited lifetime warranty.

RVY TWLEDCRANK **Each**

Shed a little light on the situation.



• Quality from the worldwide industry leader

A. Incandescent Light Bulbs

General purpose, soft white. 4 light bulbs per pack; 12 packs per case.

| No. | Watts | Description | Case |
|-----------|-------|-------------|------|
| GNL 41028 | 60 | 60A19/SW | |
| GNL 41032 | 75 | 75A19/SW | |
| GNL 41036 | 100 | 100A19/SW | |

B. Incandescent Indoor Floodlight, Reflector

65 watts, 120 volts, #65RFLMI. One bulb per package.

| | | | |
|-----------|--|--|------|
| GNL 20331 | | | Each |
|-----------|--|--|------|

Fluorescent Tubes

| No. | Watts | Description | Qty./Unit | Unit |
|-----|-------|-------------|-----------|------|
|-----|-------|-------------|-----------|------|

C. 18" Tube

| | | | | |
|-----------|----|---------|--------|--|
| GNL 10143 | 15 | F15T8CW | 6/Pack | |
|-----------|----|---------|--------|--|

D. 24" Tube, Cool White

| | | | | |
|-----------|----|----------|--------|--|
| GNL 80046 | 20 | F20T12CW | 6/Pack | |
|-----------|----|----------|--------|--|

E. 48" Tube, Cool White Energy Saver, Low Mercury—For commercial use only.

| | | | | |
|-----------|----|-------------|--------|--|
| GNL 21858 | 34 | F40T12CW/ES | 6/Pack | |
|-----------|----|-------------|--------|--|

F. 24" U-Shaped Tube

| | | | | |
|-----------|----|-----------|---------|--|
| GNL 12203 | 40 | F40CW/U/6 | 12/Case | |
|-----------|----|-----------|---------|--|

SLI LIGHTING

Fluorescent Tubes

• Manufacturer's warranty against early failure
Manufactured to last longer. 30 tubes per carton.

| No. | Watts | Description | Carton |
|-----|-------|-------------|--------|
|-----|-------|-------------|--------|

G. 48" Tube, Cool White Energy Saver, Low Mercury—For commercial use only.

| | | | |
|-----------|----|-------------|--|
| SUP 30531 | 34 | F34T12CW/ES | |
|-----------|----|-------------|--|

H. 48" Tube, Cool White Deluxe—Works in both commercial and home style fixtures.*

| | | | |
|-----------|----|----------|--|
| SUP 30563 | 40 | F40T12CX | |
|-----------|----|----------|--|

*Home style fixtures can overheat and pose a fire hazard if wrong tube is used

Note: All bulbs listed conform to, or are exempt from, the most recent Federal Epcat Legislation.



I. Bulb Changer Kit

The easy way to change most hard-to-reach bulbs. Contains everything you need to change bulbs safely and quickly from the ground. Pack includes FloodSucker Bulb Changer, StickyFingers bulb changer and 11-ft. telescopic extension pole. 3 packs per case.

| | | |
|-----------|--|------|
| UNG BCK03 | | Case |
|-----------|--|------|

J. FloodSucker Bulb Changer

Fully insulated bulb changer for use on floodlights and bulbs 300 watts and larger. Use with Unger® extension pole (sold separately).

| | | |
|----------|--|------|
| UNG FS00 | | Each |
|----------|--|------|



A

B



C

D

E

F

G

H



I



J

ADA Signs • Hand Dryer • Heater



UST 4725



UST 4811



UST 4812



UST 4813



UST 4726



UST 4814



UST 4815



UST 4816



UST 4817

A



A. ADA Signs

• Meets Americans with Disabilities Act (ADA) Requirements International symbols and raised tactile graphics with grade two braille. Molded plastic radius design. Includes instructions and double-sided adhesive tape for easy mounting. 6w x 9h.

| No. | Description | Each |
|----------|---------------------------|------|
| UST 4725 | Accessible | |
| UST 4811 | Restroom | |
| UST 4812 | Restroom 2 | |
| UST 4813 | No Smoking | |
| UST 4726 | Employees Must Wash Hands | |
| UST 4814 | Women HC | |
| UST 4815 | Men HC | |
| UST 4816 | Women | |
| UST 4817 | Men | |



B. Cub™ Automatic Hand Dryer

Infrared sensor for “no-touch” operation. Surface mount. Not recommended for vandal-prone environments. One-piece cover constructed of fire-retardant, high-impact plastic. 115V, 13 amp, 1,500 watts, 50/60Hz. UL/cUL Listed. 9⁵/₁₆w x 5⁷/₁₆d x 11¹/₈h. Manufacturer’s one-year limited warranty.

| | |
|---------|------|
| BOB 705 | Each |
|---------|------|

C. Eclipse™ Automatic Hand Dryer

Electronic sensor for “no-touch” operation. Surface mount. Contemporary styling; vandal-resistant. Steel with white enamel finish. 115V, 20 amp, 2,300 watts, 50/60Hz. UL/cUL Listed. 15¹/₂w x 7¹/₂d x 8¹/₂h. Manufacturer’s ten-year limited warranty.

| | |
|---------|------|
| BOB 740 | Each |
|---------|------|



D. Twin Ceramic Heater with Comfort Control Thermostat

Efficient twin ceramic heating elements and large grille provide wide dispersion of heat. Carry handle for easy portability. Two heat settings: high (1,500 watts) and low (1,000 watts). Auto safety shut-off. Manufacturer’s three-year limited warranty. 6⁵/₁₆w x 11¹/₄d x 8³/₈h. Shpg. wt. 4 lbs.

| | |
|---------------|------|
| HOL HCH4266-U | Each |
|---------------|------|



B



C



D



The EPA can help you find places to recycle (recycle electronic equipment). Remember—the computers, monitors and cell phones that may be out of date for your state-of-the-art office building can give others opportunities they might not otherwise have. Take the time to look up these resources online at www.epa.gov. In fact, the EPA’s website is a great source of green information if you have questions about how to properly dispose of many dangerous materials. You will also find many helpful free programs, publications, pdfs and podcasts.



BABY CHANGING STATIONS

Manufactured with an antimicrobial agent that inhibits the growth of odor- and stain-causing bacteria and helps reduce the risk of cross-contamination. Ergonomic design provides convenient, one-handed opening. Two built-in hooks provide ready access to diaper bag or purse. Accessory shelf holds baby changing supplies at-hand. Smooth, crevice free design with adjustable safety belt and built-in liner dispenser. Includes mounting kit. Meets all applicable ASTM, ADA, FDA and EN global safety regulations and standards.

A. Horizontal Baby Changing Station

Closes shut against wall to 33.5w x 4d x 21.5h. Light Platinum. Shpg. wt. 23.5 lbs.

| | |
|-----------------|------|
| RCP 7818-88 PLA | Each |
|-----------------|------|

B. Vertical Changing Station

Closes shut against wall to 23w x 4d x 34.1h. Light Platinum. Shpg. wt. 25 lbs.

| | |
|-----------------|------|
| RCP 7819-88 PLA | Each |
|-----------------|------|

C. Protective Liners for Baby Changing Stations

Laminated, two-ply tissue paper. White. 13¼ x 5½ size. 320 liners per case. Shpg. wt. 4.8 lbs.

| | |
|-----------------|------|
| RCP 7817-88 WHI | Case |
|-----------------|------|



KOALA KARE® BABY CHANGING STATIONS

High-density polyethylene construction with exclusive Microban® antimicrobial protection inhibiting the growth of odor causing bacteria. For resistance to odors and bacterial growth. Bed features smooth, concave changing area with nylon safety straps and two hooks for bags or purses. Universal instruction graphics and safety messages in six languages and Braille. Built-in liner dispenser. Includes steel mounting brackets and hinges. Hidden pneumatic gas spring mechanism provides controlled, one-handed opening and closing of changing bed. Constructed from 47% recycled material. Meets or exceeds ASTM safety requirements. ADA Compliant when properly installed.

D. Horizontal Baby Changing Station

Bed pulls down from wall and opens to 35.25w x 19.25d x 20h; closes shut against wall to 35.25w x 4d x 20h. Shpg. wt. 30 lbs.

| No. | Color | Each |
|----------------|-------|------|
| KKP KB100-00 ● | Cream | |
| KKP KB100-01 ● | Gray | |

E. Vertical Baby Changing Station

Bed pulls down from wall and opens to 22w x 35d x 35.5h; closes shut against wall to 22w x 5.35d x 35.5h. Cream. Shpg. wt. 30 lbs.

| | |
|----------------|------|
| KKP KB101-00 ● | Each |
|----------------|------|

F. Sanitary Bed Liners for Baby Changing Stations

Three-ply, biodegradable. White. 13 x 18 size. 500 liners per case. Shpg. wt. 11 lbs.

| | |
|----------------|------|
| KKP KB150-99 ● | Case |
|----------------|------|



Includes antimicrobial protection.

Adjustable safety belt. Easy-to-reach liner dispenser.



Microban® antimicrobial additive resists odors and bacterial growth.





13½" dia.



ADVANTUS.

J. Call Bell

Clear tone, brushed nickel finish. 3¾" dia.

ADV CB10000 Each

HON
Smart now. Smarter later.

A. Steel Folding Chair with Padded Seat

1" thick light beige vinyl seat pad, light beige frame. The HON® Limited Five-Year Warranty. 16¼w x 16¼d x 29¼h. 4 chairs per carton. Shpg. wt. 43 lbs.

HNN FC02LBG Carton

B. All-Steel Folding Chair

Light beige frame. The HON® Limited Five-Year Warranty. 16¼w x 16¼d x 29¼h. 4 chairs per carton. Shpg. wt. 38 lbs.

HNN FC01LBG Carton



C. Big Foot® Doorstop

Wedge style, nonslip rubber with extra-wide flange. 2w x 4¼d x 1¼h.

| No. | Color | Each |
|-----------|-------|------|
| MST 00900 | Beige | |
| MST 00920 | Brown | |
| MST 00941 | Gray | |



D. Thinline Manager® Wall Clock

Shatter-resistant case, lens and dial. Automatically resets for daylight saving time. Quartz movement using two AA batteries (sold separately). 12" dial; second hand. 13½ dia. x 1¼d black plastic case.

STH 1138 Each

Master Lock.

E. Four-Pin Tumbler Padlock

Maximum security. Laminated steel body. Hardened steel shackle resists cutting, sawing. Includes two keys. 1½" width.

MAS 3D Each

F. Twin Brass Three-Pin Tumbler Padlocks

Secure, compact protection for briefcases, cash boxes, storage cabinets. ¾" body width. Two locks, two keys per pack; keys match both locks.

MAS 120-T Pack

G. Combination Lock

Three-number dialing. Black dial. 1⅞" body width.

MAS 1500D Each



H. Wrist Key Coil

Allows easy and quick access to keys. Flexible plastic for wrist comfort. Includes steel key ring. Black.

PMC 04995 Each



I. Metal Rim Key Tags

Four-color assortment. Card stock center for write-on convenience. 1¼" dia. 50 tags per pack.

AVY 11-026 Pack